

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Super RTV-Silicone Black Plus

Product code : 0893 331 1

Unique Formula Identifier (UFI) : 5VJ2-V0P9-2007-0YD8

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Sealant  
Professional use product

Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : Würth Norge AS  
Gjelleråsen Næringspark, Morteavn 12  
1481 Hagan

Telephone : +47 464 01 500

Telefax : +47 464 01 501

E-mail address of person responsible for the SDS : prodsafe@wuerth.com

#### 1.4 Emergency telephone number

+47 2259 1300

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version 7.2      Revision Date: 26.06.2025      SDS Number: 10704372-00020      Date of last issue: 24.02.2025  
Date of first issue: 01.04.2015

- Hazard pictograms :  
- Signal word : Danger
- Hazard statements : H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.  
H317 May cause an allergic skin reaction.
- Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P261 Avoid breathing spray.  
P280 Wear protective gloves.
- Storage:**  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

Dimethylbis[(1-oxoneodecyl)oxy]stannane

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
O,O',O''-(Methylsilylidyne)trioxime 2-pentanone	37859-55-5 484-460-1	Acute Tox. 4; H302 Eye Irrit. 2; H319	>= 1 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version 7.2      Revision Date: 26.06.2025      SDS Number: 10704372-00020      Date of last issue: 24.02.2025  
Date of first issue: 01.04.2015

	01-2120004323-76	Acute toxicity estimate Acute oral toxicity: 1.234 mg/kg	
2-Pentanone oxime	623-40-5 484-470-6	Acute Tox. 4; H302 Eye Irrit. 2; H319 STOT RE 2; H373 (Blood, spleen) Acute toxicity estimate Acute oral toxicity: 1.133 mg/kg	>= 1 - < 10
2-Pentanone, O,O',O''-(ethenylsilyldiyl)trioxime	58190-62-8 01-2120006148-66	Acute Tox. 4; H302 Eye Irrit. 2; H319	>= 1 - < 10
Dimethylbis[(1-oxoneodecyl)oxy]stannane	68928-76-7 273-028-6	Acute Tox. 3; H301 Skin Irrit. 2; H315 Skin Sens. 1A; H317 Repr. 2; H361d STOT SE 1; H370 (Nervous system) STOT RE 1; H372 (Nervous system) Aquatic Chronic 3; H412 Acute toxicity estimate Acute oral toxicity: 190 mg/kg	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

---

- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

- Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.  
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.
- Hazardous combustion products : Carbon oxides  
Metal oxides  
Silicon oxides  
Nitrogen oxides (NO<sub>x</sub>)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

---

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.  
If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe spray.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep away from water.  
Protect from moisture.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : Do not spray on an open flame or other ignition source.  
If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Do not pierce or burn, even after use. Keep cool. Protect from sunlight.
- Advice on common storage : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures, which in contact with water, emit flammable gases  
Explosives  
Gases
- Recommended storage temperature : < 50 °C

#### 7.3 Specific end use(s)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version 7.2      Revision Date: 26.06.2025      SDS Number: 10704372-00020      Date of last issue: 24.02.2025  
Date of first issue: 01.04.2015

Specific use(s) : No data available

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propane	74-98-6	TWA	500 ppm 900 mg/m <sup>3</sup>	FOR-2011-12-06-1358
Butane	106-97-8	TWA	250 ppm 600 mg/m <sup>3</sup>	FOR-2011-12-06-1358
Carbon black	1333-86-4	TWA	3,5 mg/m <sup>3</sup>	FOR-2011-12-06-1358
Dimethylbis[(1-ox-oneodecyl)oxy]stannane	68928-76-7	TWA	0,1 mg/m <sup>3</sup> (Tin)	FOR-2011-12-06-1358
Further information: Chemicals that can be absorbed through the skin.				
		STEL	0,2 mg/m <sup>3</sup> (Tin)	FOR-2011-12-06-1358
Further information: Chemicals that can be absorbed through the skin.				

##### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Calcium carbonate	Workers	Inhalation	Long-term systemic effects	6,36 mg/m <sup>3</sup>
	Consumers	Ingestion	Acute systemic effects	6,1 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,06 mg/m <sup>3</sup>
	Consumers	Ingestion	Long-term systemic effects	6,1 mg/kg bw/day
O,O',O''-(Methylsilyldyne)trioxime 2-pentanone	Workers	Inhalation	Long-term systemic effects	1,164 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0,165 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,287 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	0,0825 mg/kg bw/day
2-Pentanone, O,O',O''-(ethenylsilyl-	Consumers	Ingestion	Long-term systemic effects	0,085 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	1,198 mg/m <sup>3</sup>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version 7.2      Revision Date: 26.06.2025      SDS Number: 10704372-00020      Date of last issue: 24.02.2025  
Date of first issue: 01.04.2015

dyne)trioxime				
	Workers	Skin contact	Long-term systemic effects	0,17 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,29 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,085 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,085 mg/kg bw/day
Carbon black	Workers	Inhalation	Long-term local effects	0,5 mg/m3
2-Pentanone oxime	Workers	Inhalation	Long-term systemic effects	8,3 mg/m3
	Workers	Inhalation	Acute systemic effects	24,9 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,208 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	0,624 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,07 mg/m3
	Consumers	Inhalation	Acute systemic effects	6,21 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,125 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	0,375 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,125 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	0,375 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Calcium carbonate	Sewage treatment plant	100 mg/l
O,O',O''-(Methylsilyldyne)trioxime 2-pentanone	Fresh water	0,1 mg/l
	Marine water	0,01 mg/l
	Sewage treatment plant	2,15 mg/l
	Fresh water sediment	0,569 mg/kg
	Marine sediment	0,057 mg/kg
	Soil	0,04422 mg/kg
2-Pentanone, O,O',O''-(ethenylsilyldyne)trioxime	Fresh water	0,103 mg/l
	Marine water	0,01 mg/l
	Sewage treatment plant	2,22 mg/l
	Fresh water sediment	0,586 mg/kg
	Marine sediment	0,059 mg/kg
	Soil	0,046 mg/kg
Carbon black	Fresh water	1 mg/l
	Freshwater - intermittent	10 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version 7.2      Revision Date: 26.06.2025      SDS Number: 10704372-00020      Date of last issue: 24.02.2025  
Date of first issue: 01.04.2015

	Marine water	0,1 mg/l
	Marine water - intermittent	1 mg/l
2-Pentanone oxime	Fresh water	0,088 mg/l
	Marine water	0,0088 mg/l
	Intermittent use/release	0,88 mg/l
	Sewage treatment plant	2 mg/l
	Fresh water sediment	0,5 mg/kg
	Marine sediment	0,05 mg/kg
	Soil	0,05 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Processing may form hazardous compounds (see section 10).  
Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.  
Provide sufficient air exchange and/or exhaust in work rooms.

#### Personal protective equipment

Eye/face protection : In case of splash hazard, please wear protective goggles.  
Hand protection  
Material : butyl-rubber  
Break through time : > 480 min  
Glove thickness : > 0,6 mm

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Wear the following personal protective equipment:  
Flame retardant antistatic protective clothing.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Equipment should conform to NS EN 137

Filter type : Self-contained breathing apparatus

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : aerosol  
Propellant : Propane, Butane  
Colour : black

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

---

Odour : characteristic

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : Not applicable

Flammability (solid, gas) : Extremely flammable aerosol.

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : substance/mixture is non-soluble (in water)

Viscosity  
Viscosity, kinematic : Not applicable

Solubility(ies)  
Water solubility : hydrolyses

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : Not applicable

Relative density : No data available

Density : 1,25 g/cm<sup>3</sup> (20 °C)

Relative vapour density : Not applicable

Particle characteristics  
Particle size : Not applicable

### 9.2 Other information

Explosives : Not explosive

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

---

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Extremely flammable aerosol.  
Vapours may form explosive mixture with air.  
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.  
Can react with strong oxidizing agents.  
Hazardous decomposition products will be formed upon contact with water or humid air.

#### 10.4 Conditions to avoid

Conditions to avoid : Exposure to moisture  
Heat, flames and sparks.

#### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents  
Water

#### 10.6 Hazardous decomposition products

Contact with water or humid air : 2-Pentanone oxime  
Methyl Isobutyl Ketoxime

---

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version 7.2      Revision Date: 26.06.2025      SDS Number: 10704372-00020      Date of last issue: 24.02.2025  
Date of first issue: 01.04.2015

---

### Components:

#### **O,O',O''-(Methylsilylidyne)trioxime 2-pentanone:**

Acute oral toxicity : LD50 (Rat): 1.234 mg/kg  
Method: OECD Test Guideline 425

Acute dermal toxicity : LD50 (Rat): > 1.782 mg/kg  
Remarks: Based on data from similar materials

#### **2-Pentanone oxime:**

Acute oral toxicity : LD50 (Rat): 1.133 mg/kg  
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat): > 1,22 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403

#### **2-Pentanone, O,O',O''-(ethenylsilylidyne)trioxime:**

Acute oral toxicity : LD50 (Rat): > 1.000 - < 2.000 mg/kg  
Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: Directive 67/548/EEC, Annex V, B.3.  
Remarks: Based on data from similar materials

#### **Dimethylbis[(1-oxoneodecyl)oxy]stannane:**

Acute oral toxicity : LD50 (Rat): 190 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **O,O',O''-(Methylsilylidyne)trioxime 2-pentanone:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **2-Pentanone, O,O',O''-(ethenylsilylidyne)trioxime:**

Species : Rabbit  
Result : No skin irritation

#### **Dimethylbis[(1-oxoneodecyl)oxy]stannane:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 431

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

---

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439  
Result : Skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### **O,O',O''-(Methylsilyldiylidene)trioxime 2-pentanone:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on data from similar materials

##### **2-Pentanone oxime:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

##### **2-Pentanone, O,O',O''-(ethenylsilyldiylidene)trioxime:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on data from similar materials

##### **Dimethylbis[(1-oxoneodecyl)oxy]stannane:**

Species : Bovine cornea  
Method : OECD Test Guideline 437  
Result : No eye irritation

### Respiratory or skin sensitisation

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Components:

##### **2-Pentanone oxime:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version 7.2      Revision Date: 26.06.2025      SDS Number: 10704372-00020      Date of last issue: 24.02.2025  
Date of first issue: 01.04.2015

---

### **2-Pentanone, O,O',O''-(ethenylsilylidyne)trioxime:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

### **Dimethylbis[(1-oxoneodecyl)oxy]stannane:**

Test Type : Maurer optimisation test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : positive  
Remarks : Based on data from similar materials

Assessment : Probability or evidence of high skin sensitisation rate in humans

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **O,O',O''-(Methylsilylidyne)trioxime 2-pentanone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### **2-Pentanone oxime:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

---

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Test Type: in vitro micronucleus test  
Method: OECD Test Guideline 487  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: inhalation (vapour)  
Method: OECD Test Guideline 475  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **2-Pentanone, O,O',O''-(ethenylsilylidyne)trioxime:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

### **Dimethylbis[(1-oxoneodecyl)oxy]stannane:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Germ cell mutagenicity- Assessment : Remarks: Based on data from similar materials

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **O,O',O''-(Methylsilylidyne)trioxime 2-pentanone:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version 7.2      Revision Date: 26.06.2025      SDS Number: 10704372-00020      Date of last issue: 24.02.2025  
Date of first issue: 01.04.2015

---

### 2-Pentanone oxime:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

### Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.  
Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

### Components:

#### Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Exposure routes : Ingestion  
Target Organs : Nervous system  
Assessment : Shown to produce significant health effects in animals at concentrations of 300 mg/kg bw or less.  
Remarks : Based on data from similar materials

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### 2-Pentanone oxime:

Exposure routes : Ingestion  
Target Organs : Blood, spleen  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

### **2-Pentanone, O,O',O''-(ethenylsilylidyne)trioxime:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### **Dimethylbis[(1-oxoneodecyl)oxy]stannane:**

Exposure routes : Ingestion  
Target Organs : Nervous system  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.  
Remarks : Based on data from similar materials

### **Repeated dose toxicity**

#### **Components:**

#### **2-Pentanone oxime:**

Species : Rat  
NOAEL : 15 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Ingestion  
Exposure time : 6 Weeks  
Method : OECD Test Guideline 422

#### **2-Pentanone, O,O',O''-(ethenylsilylidyne)trioxime:**

Species : Rat  
NOAEL : > 10 - 100 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 408  
Remarks : Based on data from similar materials

#### **Dimethylbis[(1-oxoneodecyl)oxy]stannane:**

Species : Rat  
NOAEL : < 10 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408  
Remarks : Based on data from similar materials

### **Aspiration toxicity**

Not classified based on available information.

## **11.2 Information on other hazards**

### **Endocrine disrupting properties**

Not classified based on available information.

### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

REACH Article 57(f) or Commission Delegated regulation  
(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at  
levels of 0.1% or higher.

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

##### **O,O',O''-(Methylsilyldiylidene)trioxime 2-pentanone:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): 88  
plants : mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 32  
mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 : > 21,5 mg/l  
Exposure time: 28 d

##### **2-Pentanone oxime:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): 88  
plants : mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 32

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

---

mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 20 mg/l  
Exposure time: 28 d

### 2-Pentanone, O,O',O''-(ethenylsilyldyne)trioxime:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 117 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 117 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 103 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 37 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC0 : > 22,2 mg/l  
Exposure time: 28 h  
Remarks: Based on data from similar materials

### Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 7,6 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,2 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version 7.2      Revision Date: 26.06.2025      SDS Number: 10704372-00020      Date of last issue: 24.02.2025  
Date of first issue: 01.04.2015

---

### 12.2 Persistence and degradability

#### Components:

##### **O,O',O''-(Methylsilylidyne)trioxime 2-pentanone:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **2-Pentanone oxime:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 9 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **2-Pentanone, O,O',O''-(ethenylsilylidyne)trioxime:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
Remarks: Based on data from similar materials

##### **Dimethylbis[(1-oxoneodecyl)oxy]stannane:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### 12.3 Bioaccumulative potential

#### Components:

##### **2-Pentanone oxime:**

Partition coefficient: n-  
octanol/water : log Pow: 1,43

##### **2-Pentanone, O,O',O''-(ethenylsilylidyne)trioxime:**

Partition coefficient: n-  
octanol/water : log Pow: 1,25

##### **Dimethylbis[(1-oxoneodecyl)oxy]stannane:**

Partition coefficient: n-  
octanol/water : log Pow: 5,503  
Remarks: Calculation

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

---

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.  
Please ensure aerosol cans are sprayed completely empty (including propellant)

Waste Code : The following Waste Codes are only suggestions:

used product  
08 04 09\*, waste adhesives and sealants containing organic solvents or other hazardous substances  
16 05 04, gases in pressure containers (including halons) containing hazardous substances

unused product  
08 04 09\*, waste adhesives and sealants containing organic solvents or other hazardous substances  
16 05 04, gases in pressure containers (including halons) containing hazardous substances

uncleaned packagings

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version 7.2      Revision Date: 26.06.2025      SDS Number: 10704372-00020      Date of last issue: 24.02.2025  
Date of first issue: 01.04.2015

08 04 09\*, waste adhesives and sealants containing organic solvents or other hazardous substances  
16 05 04, gases in pressure containers (including halons) containing hazardous substances

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADN : UN 1950  
ADR : UN 1950  
RID : UN 1950  
IMDG : UN 1950  
IATA : UN 1950

#### 14.2 UN proper shipping name

ADN : AEROSOLS  
ADR : AEROSOLS  
RID : AEROSOLS  
IMDG : AEROSOLS  
IATA : Aerosols, flammable

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 2	2.1
ADR	: 2	2.1
RID	: 2	2.1
IMDG	: 2.1	
IATA	: 2.1	

#### 14.4 Packing group

**ADN**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Labels : 2.1

**ADR**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Labels : 2.1  
Tunnel restriction code : (D)

**RID**  
Packing group : Not assigned by regulation  
Classification Code : 5F

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

---

Hazard Identification Number : 23  
Labels : 2.1

### IMDG

Packing group : Not assigned by regulation  
Labels : 2.1  
EmS Code : F-D, S-U

### IATA (Cargo)

Packing instruction (cargo aircraft) : 203  
Packing instruction (LQ) : Y203  
Packing group : Not assigned by regulation  
Labels : Flammable Gas

### IATA (Passenger)

Packing instruction (passenger aircraft) : 203  
Packing instruction (LQ) : Y203  
Packing group : Not assigned by regulation  
Labels : Flammable Gas

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : no

### ADR

Environmentally hazardous : no

### RID

Environmentally hazardous : no

### IMDG

Marine pollutant : no

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 20: Dimethylbis[(1-oxodecyl)oxy]stannane

Substance(s) or mixture(s) are listed

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version 7.2      Revision Date: 26.06.2025      SDS Number: 10704372-00020      Date of last issue: 24.02.2025  
Date of first issue: 01.04.2015

---

here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P3a	FLAMMABLE AEROSOLS	150 t	500 t

18	Liquefied flammable gases (including LPG) and natural gas	50 t	200 t
----	---	------	-------

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 3,76 %

### Other regulations:

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

### Full text of H-Statements

H301 : Toxic if swallowed.  
H302 : Harmful if swallowed.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H319 : Causes serious eye irritation.  
H361d : Suspected of damaging the unborn child.  
H370 : Causes damage to organs.  
H372 : Causes damage to organs through prolonged or repeated exposure.  
H373 : May cause damage to organs through prolonged or repeated exposure.  
H412 : Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Irrit. : Eye irritation  
Repr. : Reproductive toxicity  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation  
STOT RE : Specific target organ toxicity - repeated exposure  
STOT SE : Specific target organ toxicity - single exposure  
FOR-2011-12-06-1358 : Norway. Occupational Exposure limits  
FOR-2011-12-06-1358 / TWA : Long term exposure limit  
FOR-2011-12-06-1358 / STEL : Short term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Super RTV-Silicone Black Plus

Version	Revision Date:	SDS Number:	Date of last issue: 24.02.2025
7.2	26.06.2025	10704372-00020	Date of first issue: 01.04.2015

---

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Aerosol 1	H222, H229
Skin Sens. 1	H317

### Classification procedure:

Based on product data or assessment
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN